

塊規 Gauge Blocks

塊規尺寸及平行度許可差

(ISO 3650-1998 / JIS B7506-2004)

單位: μm

標稱尺寸 等級	K 級		0 級		1 級		2 級	
尺寸範圍 (mm)	尺 寸 許可差	平行度 許可差	尺 寸 許可差	平行度 許可差	尺 寸 許可差	平行度 許可差	尺 寸 許可差	平行度 許可差
0.5 ~ 10	± 0.20	0.05	± 0.12	0.10	± 0.20	0.16	± 0.45	0.30
10 ~ 25	± 0.30	0.05	± 0.14	0.10	± 0.30	0.16	± 0.60	0.30
25 ~ 50	± 0.40	0.06	± 0.20	0.10	± 0.40	0.18	± 0.80	0.30
50 ~ 75	± 0.50	0.06	± 0.25	0.12	± 0.50	0.18	± 1.00	0.35
75 ~ 100	± 0.60	0.07	± 0.30	0.12	± 0.60	0.20	± 1.20	0.35
100 ~ 150	± 0.80	0.08	± 0.40	0.14	± 0.80	0.20	± 1.60	0.40
150 ~ 200	± 1.00	0.09	± 0.50	0.16	± 1.00	0.25	± 2.00	0.40
200 ~ 250	± 1.20	0.10	± 0.60	0.16	± 1.20	0.25	± 2.40	0.45
250 ~ 300	± 1.40	0.10	± 0.70	0.18	± 1.40	0.25	± 2.80	0.50
300 ~ 400	± 1.80	0.12	± 0.90	0.20	± 1.80	0.30	± 3.60	0.50
400 ~ 500	± 2.20	0.14	± 1.10	0.25	± 2.20	0.35	± 4.40	0.60
500 ~ 600	± 2.60	0.16	± 1.30	0.25	± 2.60	0.40	± 5.00	0.70
600 ~ 700	± 3.00	0.18	± 1.50	0.30	± 3.00	0.45	± 6.00	0.70
700 ~ 800	± 3.40	0.20	± 1.70	0.30	± 3.40	0.50	± 6.50	0.80
800 ~ 900	± 3.80	0.20	± 1.90	0.35	± 3.80	0.50	± 7.50	0.90
900 ~ 1000	± 4.20	0.25	± 2.00	0.40	± 4.20	0.60	± 8.00	1.00



塊規

516系列 精密鋼質塊規組




112 pcs/Set



103 pcs/Set



47 pcs/Set



18 pcs/Set



9 pcs/Set



8 pcs/Set

三豐編號	規	格	等級	金 額	三豐編號	規	格	等級	金 額
516-937-60	112片塊規組		K	564,330	516-994-60	46片塊規組		K	298,880
516-938-10	1.0005 mm	1片	0	224,260	516-995-10	1.001~1.009 mm	9片 間隔 0.001 mm	0	119,240
516-939-10	1.001~1.009 mm	9片 間隔 0.001 mm	1	169,580	516-996-10	1.01~1.09 mm	9片 間隔 0.01 mm	1	89,680
516-940-10	1.01~1.49 mm	49片 間隔 0.01 mm	2	136,040	516-997-10	1.1~1.9 mm	9片 間隔 0.1 mm		
	0.5~24.5 mm	49片 間隔 0.5 mm				1~9 mm	9片 間隔 1 mm		
	25~100 mm	4片 間隔 25 mm				10~100 mm	10片 間隔 10 mm		
516-941-60	103片塊規組		K	527,210	516-965-60	32片塊規組		K	160,730
516-942-10	1.005 mm	1片	0	209,440	516-966-10	1.005 mm	1片	0	64,080
516-943-10	1.01~1.49 mm	49片 間隔 0.01 mm	1	159,050	516-967-10	1.01~1.09 mm	9片 間隔 0.01 mm	1	47,920
516-944-10	0.5~24.5 mm	49片 間隔 0.5 mm	2	126,230	516-968-10	1.1~1.9 mm	9片 間隔 0.1 mm		
	25~100 mm	4片 間隔 25 mm				1~9 mm	9片 間隔 1 mm		
516-945-60	87片塊規組		K	418,950		10~30 mm	3片 間隔 10 mm		
516-946-10	1.001~1.009 mm	9片 間隔 0.001 mm	0	168,600	516-968-10	60mm	1片	2	38,800
516-947-10	1.01~1.49 mm	49片 間隔 0.01 mm	1	126,160	516-973-60			K	116,630
516-948-10	0.5~9.5 mm	19片 間隔 0.5 mm	2	100,400	516-974-10	18片塊規組		0	46,660
	10~100 mm	10片 間隔 10 mm				0.991~0.999 mm	9片 間隔 0.001 mm	1	34,820
516-949-60	76片塊規組		K	375,270	516-975-10	1.001~1.009 mm	9片 間隔 0.001 mm	2	28,130
516-950-10	1.005 mm	1片	0	151,110	516-976-10			K	58,570
516-951-10	1.01~1.49 mm	49片 間隔 0.01 mm	1	112,260	516-982-10	9片塊規組		0	23,420
516-952-10	0.5~9.5 mm	19片 間隔 0.5 mm	2	90,150		1.001~1.009 mm	9片 間隔 0.001 mm	1	17,610
	10~40 mm	4片 間隔 10 mm						2	14,000
	50~100 mm	3片 間隔 25 mm			516-983-10			K	58,480
516-953-60	56片塊規組		K	321,070	516-984-10			0	23,380
516-954-10	0.5 mm	1片	0	128,080	516-985-60			1	17,570
516-955-10	1.001~1.009 mm	9片 間隔 0.001 mm	1	96,900	516-986-10	9片塊規組		2	13,920
516-956-10	1.01~1.09 mm	9片 間隔 0.01 mm	2	77,600		0.991~0.999 mm	9片 間隔 0.001 mm	K	494,410
	1.1~1.9 mm	9片 間隔 0.1 mm			516-701-60			0	198,640
	1~24 mm	24片 間隔 1 mm			516-702-10	8片塊規組		1	149,040
	25~100 mm	4片 間隔 25 mm				125~175 mm	3片 間隔 25 mm	2	119,380
516-957-60	47片塊規組		K	282,540		200~250 mm	2片 間隔 50 mm		
516-958-10	1.005 mm	1片	0	112,970	516-703-10	300~500 mm	3片 間隔 100 mm		
516-959-10	1.01~1.09 mm	9片 間隔 0.01 mm	1	85,280	516-704-10				
516-960-10	1.1~1.9 mm	9片 間隔 0.1 mm	2	68,260					
	1~24 mm	24片 間隔 1 mm							
	25~100 mm	4片 間隔 25 mm							

塊規

516系列 精密陶瓷塊規組




112 pcs/Set



56 pcs/Set




32 pcs/Set



18 pcs/Set



9 pcs/Set




8 pcs/Set

三豐編號	規	格	等級	金 額	三豐編號	規	格	等級	金 額
516-337-60	112片塊規組		K	810,150	516-394-60	46片塊規組		K	409,530
516-338-10	1.0005 mm	1片	0	323,190	516-395-10	1.001~1.009 mm	9片 間隔 0.001 mm	0	164,610
516-339-10	1.001~1.009 mm	9片 間隔 0.001 mm	1	274,430	516-396-10	1.01~1.09 mm	9片 間隔 0.01 mm	1	138,700
516-340-10	1.01~1.49 mm	49片 間隔 0.01 mm	2	242,860	516-397-10	1.1~1.9 mm	9片 間隔 0.1 mm		
	0.5~24.5 mm	49片 間隔 0.5 mm				1~9 mm	9片 間隔 1 mm		
	25~100 mm	4片 間隔 25 mm				10~100 mm	10片 間隔 10 mm		
516-341-60	103片塊規組		K	771,080	516-365-60	32片塊規組		K	218,160
516-342-10	1.005 mm	1片	0	307,970	516-366-10	1.005 mm	1片	0	87,550
516-343-10	1.01~1.49 mm	49片 間隔 0.01 mm	1	261,200	516-367-10	1.01~1.09 mm	9片 間隔 0.01 mm	1	74,340
516-344-10	0.5~24.5 mm	49片 間隔 0.5 mm	2	231,240	516-368-10	1.1~1.9 mm	9片 間隔 0.1 mm		
	25~100 mm	4片 間隔 25 mm				1~9 mm	9片 間隔 1 mm		
516-345-60	87片塊規組		K	721,160		10~30 mm	3片 間隔 10 mm		
516-346-10	1.001~1.009 mm	9片 間隔 0.001 mm	0	288,310	516-368-10	60mm	1片	2	65,590
516-347-10	1.01~1.49 mm	49片 間隔 0.01 mm	1	244,540	516-373-60			K	152,310
516-348-10	0.5~9.5 mm	19片 間隔 0.5 mm	2	216,150	516-374-10	18片塊規組		0	69,550
	10~100 mm	10片 間隔 10 mm				0.991~0.999 mm	9片 間隔 0.001 mm	1	51,790
516-349-60	76片塊規組		K	509,640	516-375-10	1.001~1.009 mm	9片 間隔 0.001 mm	2	45,520
516-350-10	1.005 mm	1片	0	203,290	516-376-10			K	76,950
516-351-10	1.01~1.49 mm	49片 間隔 0.01 mm	1	172,730	516-381-60			0	30,890
516-352-10	0.5~9.5 mm	19片 間隔 0.5 mm	2	152,830	516-382-10	9片塊規組		1	26,360
	10~40 mm	4片 間隔 10 mm				1.001~1.009 mm	9片 間隔 0.001 mm	2	23,110
	50~100 mm	3片 間隔 25 mm			516-383-10			K	76,950
516-353-60	56片塊規組		K	462,790	516-384-10			0	30,700
516-354-10	0.5 mm	1片	0	183,880	516-385-60			1	26,340
516-355-10	1.001~1.009 mm	9片 間隔 0.001 mm	1	157,500	516-386-10			2	23,240
516-356-10	1.01~1.09 mm	9片 間隔 0.01 mm	2	138,950	516-387-10	9片塊規組		K	1,665,350
	1.1~1.9 mm	9片 間隔 0.1 mm				0.991~0.999 mm	9片 間隔 0.001 mm	0	669,030
	1~24 mm	24片 間隔 1 mm						1	565,430
	25~100 mm	4片 間隔 25 mm						2	499,650
516-357-60	47片塊規組		K	398,730	516-731-60	8片塊規組			
516-358-10	1.005 mm	1片	0	159,530	516-732-10	125~175 mm	3片 間隔 25 mm		
516-359-10	1.01~1.09 mm	9片 間隔 0.01 mm	1	135,520	516-733-10	200~250 mm	2片 間隔 50 mm		
	1.1~1.9 mm	9片 間隔 0.1 mm			516-734-10	300~500 mm	3片 間隔 100 mm		
	1~24 mm	24片 間隔 1 mm							
	25~100 mm	4片 間隔 25 mm							


塊規

516系列 精密鋼質塊規保護片




三豐編號	規	格	等級	金 額
516-807-10	2片塊規組	1 mm × 2	0	15,940
516-806-10			1	11,920
516-803-10	2片塊規組	2 mm × 2	0	16,650
516-802-10			1	12,530

516系列 精密陶瓷塊規保護片



三豐編號	規	格	等級	金 額
516-832-10	2片塊規組	1 mm × 2	0	5,210
516-833-10			1	4,390
516-830-10	2片塊規組	2 mm × 2	0	6,520
516-831-10			1	5,540

516系列 精密鋼質測微器檢查塊規



三豐編號	規	格	等級	金 額
516-101-10	10片塊規組		—	16,040
516-103-10	1.00, 1.25, 1.5, 2, 3, 5, 10, 15, 20, 25 mm		—	21,490
516-111-10	16片塊規組		0	55,620
516-112-10	1.0~1.5 mm	3片 間隔 0.25 mm	1	47,880
516-112-10	2, 3, 25.25 mm	3片		
516-113-10	5~50 mm	10片 間隔 5 mm		
516-113-10	光學平鏡(12&25mm)	油石	2	33,870
—			K	—
516-115-10	8片塊規組		0	91,640
516-116-10	25~200 mm	8片 間隔 25 mm	1	68,700
516-117-10			2	54,820
516-132-10	10片塊規組		0	52,790
516-133-10	1.25~1.50 mm	2片 間隔 0.25 mm	1	45,760
516-133-10	1~3 mm	3片 間隔 1 mm		
516-134-10	5~25 mm	5片 間隔 5 mm		
516-134-10	光學平鏡(12mm)	塊規夾持器	2	41,330
516-135-10	10片塊規組		0	58,970
516-136-10	2.5, 5.1, 7.7, 10.3, 12.9 mm		1	50,180
516-137-10	15, 17.6, 20.2, 22.8, 25 mm		2	45,540
516-137-10	光學平鏡(12mm)·塊規夾持器			
516-977-60	10片塊規組		K	65,740
516-978-10	1.0~1.5 mm	3片 間隔 0.25 mm	0	26,260
516-979-10	2 mm, 3 mm	2片	1	19,620
516-979-10	5~25 mm	5片 間隔 5 mm		
516-980-10	光學平鏡(12mm)		2	15,870


516系列 精密陶瓷測微器檢查塊規



三豐編號	規	格	等級	金 額
516-161-10	16片塊規組		0	84,430
516-162-10	1.0~1.5 mm	3片 間隔 0.25 mm	1	69,040
516-162-10	2, 3, 25.25 mm	3片		
516-163-10	5~50 mm	10片 間隔 5 mm		
516-163-10	光學平鏡(12&25mm)	油石	2	60,410
516-164-60			K	550,890
516-165-10	8片塊規組		0	219,840
516-166-10	25~200 mm	8片 間隔 25 mm	1	186,860
516-167-10			2	165,520
516-182-10	10片塊規組		0	56,870
516-183-10	1.25~1.50 mm	2片 間隔 0.25 mm	1	51,660
516-183-10	1~3 mm	3片 間隔 1 mm		
516-184-10	5~25 mm	5片 間隔 5 mm		
516-184-10	光學平鏡(12mm)	塊規夾持器	2	47,980
516-185-10	10片塊規組		0	65,680
516-186-10	2.5, 5.1, 7.7, 10.3, 12.9 mm		1	57,910
516-187-10	15, 17.6, 20.2, 22.8, 25 mm		2	53,430
516-187-10	光學平鏡(12mm)·塊規夾持器			
—			K	—
516-378-10	10片塊規組		0	34,960
516-378-10	1.0~1.5 mm	3片 間隔 0.25 mm	1	29,940
516-379-10	2 mm, 3 mm	2片		
516-379-10	5~25 mm	5片 間隔 5 mm	2	26,200
516-380-10	光學平鏡(12mm)			

塊規

516系列 精密單片塊規



鋼質塊規



陶瓷塊規

編號後三碼 021 為 0 級。016 為 K 級；031 為 1 級；041 為 2 級，價格另洽。

規 格	鋼質塊規		陶瓷塊規		規 格	鋼質塊規		陶瓷塊規	
	三豐編號	金額	三豐編號	金額		三豐編號	金額	三豐編號	金額
0.5 mm	611506-021	4,380	613506-021	6,160	30 mm	611673-021	5,250	613673-021	7,840
1 mm	611611-021	2,870	613611-021	3,920	35 mm	611755-021	6,510	613755-021	8,120
2 mm	611612-021	2,870	613612-021	3,920	40 mm	611674-021	6,350	613674-021	8,900
3 mm	611613-021	2,870	613613-021	3,920	45 mm	611756-021	8,300	613756-021	9,270
4 mm	611614-021	2,870	613614-021	3,920	50 mm	611675-021	7,330	613675-021	10,260
5 mm	611615-021	2,870	613615-021	3,920	60 mm	611676-021	10,440	613676-021	13,800
6 mm	611616-021	3,420	613616-021	4,630	70 mm	611677-021	11,810	613677-021	14,570
7 mm	611617-021	3,420	613617-021	5,270	75 mm	611801-021	12,790	613801-021	14,950
8 mm	611618-021	3,420	613618-021	4,630	80 mm	611678-021	13,060	613678-021	15,980
9 mm	611619-021	3,420	613619-021	4,630	90 mm	611679-021	14,040	613679-021	17,360
10 mm	611671-021	3,420	613671-021	4,630	100 mm	611681-021	15,290	613681-021	18,760
11 mm	611621-021	3,870	613621-021	5,290	125 mm	611802-021	22,400	613802-021	43,900
12 mm	611622-021	3,870	613622-021	5,290	150 mm	611803-021	25,900	613803-021	57,480
13 mm	611623-021	3,870	613623-021	5,290	175 mm	611804-021	29,850	613804-021	67,700
14 mm	611624-021	3,870	613624-021	5,290	200 mm	611682-021	32,350	613682-021	77,810
15 mm	611625-021	3,870	613625-021	5,290	250 mm	611805-021	41,230	613805-021	105,500
16 mm	611626-021	4,520	613626-021	5,980	300 mm	611683-021	47,890	613683-021	126,610
17 mm	611627-021	4,520	613627-021	5,980	400 mm	611684-021	69,360	613684-021	185,240
18 mm	611628-021	4,520	613628-021	5,980	500 mm	611685-021	95,550	613685-021	254,640
19 mm	611629-021	4,520	613629-021	5,980	600 mm	611840-021	123,550		
20 mm	611672-021	4,520	613672-021	5,980	700 mm	611841-021	148,220		
21 mm	611631-021	4,840	613631-021	6,710	750 mm	611842-021	160,640		
22 mm	611632-021	4,840	613632-021	6,710	800 mm	611843-021	174,840		
23 mm	611633-021	4,840	613633-021	6,710	900 mm	611844-021	204,080		
24 mm	611634-021	4,840	613634-021	6,710	1000 mm	611845-021	236,660		
25 mm	611635-021	4,840	613635-021	6,710					