

指示量錶 Dial Indicators

i-Checker 量錶自動校正儀

可校驗的量具：



指示量錶



數位式量錶



槓桿式量錶



缸徑規



線性規



電氣測微儀



指示量錶

量錶功能圖示說明

 反向刻度	 未滿一迴轉	 雙倍寬刻度	 防震	 IP63保護等級
 IP64保護等級	 下止點阻尼器	 寶石軸承	 防塵、防滴	 雙針同軸

1 系列 公差比對針盤式量錶



1929A



1900A-10

錶徑 Φ40 mm

三豐編號	測定範圍	解析度	規 格	金 額
1929A	1 mm	0.01 mm	 	5,480
1929A-62			  	6,270

三豐編號	測定範圍	解析度	規 格	金 額
1900A-10	0.1 mm	0.001 mm	  	9,120
1900A-72			   	9,660


2 系列 公差比對針盤式量錶



2929A




2972AB



2900A-10



2959A



2901A-10

錶徑 Φ57 mm

三豐編號	測定範圍	解析度	規 格	金 額
2929A	0.8 mm	0.01 mm	—	5,620
2929A-60				7,430
2929A-62				6,490
2972AB	1 mm	0.01 mm	—	4,040
2959A	1.6 mm		—	7,410

三豐編號	測定範圍	解析度	規 格	金 額
2900A-10	0.08 mm	0.001 mm		7,430
2900A-70			 	8,660
2900A-72			  	8,230
2901A-10	0.16 mm	0.001 mm	 	7,350

1 系列 背測針盤式量錶



1160A



1960A

錶徑 Φ39.6 mm

三豐編號	測定範圍	解析度	規 格	金 額
1960A	1 mm	0.01 mm	 	7,330
1160A	5 mm		—	6,410
1162A				6,830

2 系列 背測針盤式量錶



2960A



2990A-10

錶徑 Φ58 mm

三豐編號	測定範圍	解析度	規 格	金 額
2960A	1 mm	0.01 mm	 	9,470
2990A-10	0.1 mm	0.001 mm	  	18,270


誌成貿易股份有限公司

TEL: (02)2657-8688

E-mail: jc95095@ms27.hinet.net

指示量錶

1 系列 針盤式量錶




錶徑 $\Phi 39.6$ mm (1913-10 為 $\Phi 31$ mm)

三豐編號	測定範圍	解析度	規 格	金 額
1109A-10	1 mm	0.001 mm		9,500
1013A-10		0.002 mm		8,670
1040A	3.5 mm	0.01 mm		4,890

三豐編號	測定範圍	解析度	規 格	金 額
1044A	5 mm	0.01 mm	—	3,620
1044A-15				5,310
1044A-60				6,520

2 系列 針盤式量錶




錶徑 $\Phi 57$ mm

三豐編號	測定範圍	解析度	規 格	金 額
2109A-10	1 mm	0.001 mm		5,180
2109A-70				7,730
2110A-10				6,530
2119A-10	5 mm	0.01 mm		7,620
2044A	5 mm		—	3,230
2046A	10 mm		—	2,450

三豐編號	測定範圍	解析度	規 格	金 額	
2046A-60	10 mm	0.01 mm		6,220	
2902A				3,570	
2050A	20 mm			4,930	
2050A-60				7,980	
2052A	30 mm			6,950	
2952A			 	6,770	

3、4 系列 針盤式量錶



錶徑 $\Phi 78$ mm (4046S 為 $\Phi 92$ mm)

三豐編號	測定範圍	解析度	規 格	金 額
3046A	10 mm	0.01 mm	—	6,750
3050A	20 mm			9,390
3052A-19	30 mm			10,040
3058A-19	50 mm			10,360


三豐編號	測定範圍	解析度	規 格	金 額
3060A-19	80 mm	0.01 mm		15,250
3062A-19	100 mm			21,420
3109A-10	1 mm	0.001 mm		9,370
4046A	10 mm	0.01 mm	—	13,860

指示量錶

量錶測頭

三豐編號	尺寸圖	規格	金額
901312		鎢鋼 Φ3 mm	290
120047		寶石 L:7.3 mm	1,650
120049		鎢鋼 Φ3 mm	620
120051		寶石 L:15 mm	1,980
137391		鎢鋼 Φ3 mm	620
137392		寶石 L:20 mm	2,130
120053		鎢鋼 Φ3 mm	750
120055		寶石 L:25 mm	2,400
21AAA252		鎢鋼 Φ3 mm	830
21AAA253		寶石 L:30 mm	2,490
101386		Φ5 mm ; L:5 mm	1,250
101118		Φ5 mm ; L:10 mm	1,470
137393		Φ5 mm ; L:15 mm	1,650
101387		Φ5 mm ; L:20 mm	1,890
101388		Φ5 mm ; L:25 mm	2,120
21AAA254		Φ5 mm ; L:30 mm	2,270
21AAA349		鎢鋼 Φ1.0 mm	4,920
21AAA350		鎢鋼 Φ1.5 mm	4,920
101122		標準 Φ1.8 mm	2,120
21AAA351		鎢鋼 Φ2.5 mm	4,920
21AAA352		鎢鋼 Φ4.0 mm	4,920
111460		R5 × D5.5 × L3 mm	2,070
125258		R5 × D7.9 × L5 mm	2,070
101119		R7 × D10 × L5 mm	2,120
21AZB751		R5 × D5.2 × L1 mm	16,450
21AZB752		R7 × D7.5 × L1 mm	19,080
21AZB753		R10 × D10.5 × L10 mm	21,870
101120		60° L:10 mm	1,880
101385		90° L:10 mm	1,890
21AZB766		Φ4 mm ; L:15 mm	9,950
21AZB764		90° L:9 mm	12,010
21AZB765		90° Φ1 mm ; L:15 mm	14,350
131365		Φ5 mm ; L:8 mm	3,230
21AAB715		Φ5 mm ; L:10 mm	4,010


延長桿



三豐編號	規格	金額	三豐編號	規格	金額
303611	10 mm	110	21AAA259G	55 mm	590
21AAA259A	15 mm	300	304146	60 mm	660
303612	20 mm	200	21AAA259H	65 mm	720
21AAA259B	25 mm	300	21AAA259J	70 mm	780
303613	30 mm	300	21AAA259L	75 mm	840
21AAA259C	35 mm	350	21AAA259M	80 mm	900
21AAA259D	40 mm	410	304147	90 mm	980
21AAA259E	45 mm	470	303614	100mm	990
21AAA259F	50 mm	540			

三豐編號	尺寸圖	規格	金額
101117		Φ10 mm ; L:10 mm	4,100
21AAB711		Φ15 mm ; L:10 mm	4,430
21AAB712		Φ20 mm ; L:10 mm	6,420
21AAB713		Φ25 mm ; L:10 mm	7,290
21AAB714		Φ30 mm ; L:10 mm	8,160
21AZB759		Φ2 mm ; L:10 mm	6,570
21AZB756		Φ4.3 mm ; L:5 mm	9,110
21AZB757		Φ6.5 mm ; L:10 mm	9,330
21AZB758		Φ9.5 mm ; L:10 mm	10,370
21AZB760		Φ15 mm ; L:10 mm	17,830
21AZB761		Φ20 mm ; L:10 mm	19,080
21AZB762		Φ25 mm ; L:10 mm	22,450
21AZB763		Φ30 mm ; L:10 mm	24,360
21AZB754		Φ6.4 mm ; L:10 mm	10,900
21AZB755		Φ8 mm ; L:10 mm	10,900
900391		Φ3 mm ; L:36 mm	1,200
101121		R0.4 ; N:11 ; L:15 mm	1,470
137413		R0.2 ; N:13 ; L:17 mm	1,650
21AAA255		R0.4 ; N:21 ; L:25 mm	1,860
21AAA256		R0.4 ; N:31 ; L:35 mm	2,070
120066		Φ0.45mm ; L:3 mm	7,580
21AAA329		Φ0.45mm ; L:5 mm	10,130
120065		Φ1mm ; L:3 mm	6,570
21AAA332		Φ1mm ; L:10 mm	8,340
21AAA335		Φ1.5mm ; L:5 mm	6,930
120064		Φ1.5mm ; L:13 mm	7,890
21AAA338		Φ1.5mm ; L:40 mm	9,170
137257		Φ2mm ; L:8 mm	7,050
21AAA339		Φ2mm ; L:40 mm	9,820
21AZB767		T:0.4 mm ; D:2 mm	9,540
21AZB768		T:0.6 mm ; D:2 mm	9,540
21AZB769		T:1.0 mm ; D:4 mm	8,180
901954		Φ10mm ; L:15 mm	3,350

升降把手



三豐編號	適用範圍	金額
21BZA205	1 系列 F 型 ; 5 mm 以下	450
902011	2 系列 F 型 ; 10 mm 以下	300
902100	1 系列 S 型、2 系列 F 型 ; 10 mm 以下	1,160
903424	2 系列 F 型 ; 20mm 以下 3、4 系列 ; 10 mm 以下	380
21AZB149	2、3、4 系列 S 型 ; 10 mm 以下	290
21AZB150	2、3 系列 S 型 ; 10~20 mm	350
21JZA301	升降導線	4,980
137693	Φ 4.8 mm 主軸升降把手	80