









三次元量測儀定位托盤系統



innovative performance

Applications 應用實例



三次元量床定位托盤系統 套裝簡介

快換模式提昇三次元量測效率，感受更快的投資回報


本產品專利特色可安裝在各種品牌三次元量測設備，透過快換托盤拼接在定位導軌上，快速完成工件定位與夾緊固定，並可輕易和靈活地相互組合，為產品打樣或批量檢測工作，提供您兼顧效率與成本的最佳解決方案。

下表套裝選項，可依據三次元量床尺寸與需求，選擇定位托盤系統，和由夾緊、支撐及固定元件組成的夾緊裝置組。


Description	Order no.
三次元量床定位托盤系統 360TA (62件組)	SYSM1_DK360TR03
三次元量床定位托盤系統 360TB (82件組)	SYSM1_DK360TR02
三次元量床定位托盤系統 540TA (62件組)	SYSM2_DK540TR03
三次元量床定位托盤系統 540TB (82件組)	SYSM2_DK540TR02
三次元量床定位托盤系統 720TA (62件組)	SYSM3_DK720TR03
三次元量床定位托盤系統 720TB (82件組)	SYSM3_DK720TR02

· 螺紋規格：M6


夾持套件:	
360TA	TA-type
540TA	下一頁
720TA	
360TB	TB-type
540TB	下一頁
720TB	



三次元量床定位托盤系統360



三次元量床定位托盤系統540



三次元量床定位托盤系統720

三次元量床定位托盤系統 夾緊套件

Consisting of	Pieces	Description	Dimensions [mm]
CRBW30M	2	Plastic spring pusher	75×65
D-BLK-30M	2	Plastic spring pusher	90×25
VB-001-M	2	Magnetic Vblock 90°	Ø62×25,4 / M6
SIBU-SO-25MM	4	Rest bolt	25 / M6
SIBU-SO-75MM	4	Rest bolt	75 / M6
TRFN-SHAFT-10M	2	Steel shaft	Ø12,7×76 / M6
TRFN-15	2	Plastic hold down clamp	84
HA-M6	2	Hole adjuster	76×25
SS-010SM	2	Universal stop	70×70
SS-07M	2	Universal stop	30×150
STOF-050-M20	3	Stand-off	Ø12,7×19 / M6
STOF-075-M20	3	Stand-off	Ø19×19 / M6
STOF-050-M50	2	Stand-off	Ø12,7×50 / M6
STOF-075-M50	2	Stand-off	Ø19×50 / M6
STOF-CONE-M	3	Plastic rest pad / cone	Ø12,7×19 / M6
LC-2.50-M	2	Aluminium hold down clamp with shaft M6	63,5 / 76 / M6
	21	Hex keys, assorted screws, wrench	

TAtype
62 pieces




夾緊套件 TA

Consisting of	Pieces	Description	Dimensions [mm]	Order no.
CRBW30M	4	Plastic spring pusher	75×65	
D-BLK-30M	4	Plastic spring pusher	90×25	
TRBL-30M	2	Plastic spring pusher	70×65	
SIBU-SO-25MM	4	Rest bolt	25 / M6	
SIBU-SO-50MM	4	Rest bolt	50 / M6	
SIBU-SO-75MM	4	Rest bolt	75 / M6	
VB-001-M	2	Magnetic Vblock 90°	Ø62×25,4 / M6	
TRFN-SHAFT-10M	4	Steel shaft	Ø12,7×76 / M	
TRFN-15	2	Plastic hold down clamp	84	
HA-M6	2	Hole adjuster	76×25	
SS-010SM	1	Universal stop	70×70	
SS-02M	1	Universal stop	95×95	
SS-03M	1	Universal stop	60×60	
SS-04M	1	Universal stop	180×180	
SS-05M	1	Universal stop	52×52	
SS-06M	1	Universal stop	94×94	
SS-07M	1	Universal stop	30×150	
LC-1.50-M	2	Aluminium hold down clamp with shaft M6	27 / 76 / M6	
LC-2.50-M	2	Aluminium hold down clamp with shaft M6	63,5 / 76 / M6	
LC-3.50-M	2	Aluminium hold down clamp with shaft M6	89 / 152 / M6	
	31	Hex keys, assorted screws, wrench		

TBtype
82 pieces



夾緊套件 TB



2D光學量測定位托盤系統 套件簡介

增添光學量測的靈活彈性


用於光學測量的定位托盤系統是專為2D系統而開發，為直接光及透射光的測量提供與三次元接觸式應用相同的優勢。

定位導軌連接到機台上，以透明、耐刮擦設計的托盤夾緊固定工件，因同於 M6 螺紋網格設計而提供了更多的靈活性。


下表套件選項，可依據需求，選擇定位托盤系統，和由夾緊、支撐及固定元件組成的夾緊套件組。

Description	Order no.
2D光學量測定位托盤系統 100-VA 34件組	SYSM4_DK100V01
2D光學量測定位托盤系統 100-VB 34件組	SYSM4_DK100V02
2D光學量測定位托盤系統 200-VA 34件組	SYSM4_DK200V01
2D光學量測定位托盤系統 200-VB 34件組	SYSM4_DK200V02
2D光學量測定位托盤系統 360-VA 34件組	SYSM4_DK360V01
2D光學量測定位托盤系統 360-VB 34件組	SYSM4_DK360V02


· 螺紋規格：M6



2D光學量測定位托盤系統 100



2D光學量測定位托盤系統 200



2D光學量測定位托盤系統 360

夾持套件:	
100-VA	VA-type
200-VA	下一頁
360-VA	
100-VB	VB-type
200-VB	下一頁
360-VB	

2D光學量測定位托盤系統 夾緊套件

Consisting of	Pieces	Description	Dimensions [mm]
HA-M6	2	Hole adjuster	76 × 25
ADJ-PLT-10M	1	Supporting rail	108 × 25
SLJ-STOP_M	2	Sliding stop	76 × 25
SPRLOC_M	2	Low-profile clamp	47 × 64
SS-01OSM	1	Universal stop	70 × 70
SS-06M	1		94 × 94
SS-07M	1		30 × 150
TRFN-15	2	Plastic hold down clamp	84
LC-2.50-TP-M	2	Aluminium hold down clamp with shaft M6	63,5 / 76 / M6
TRFN-SHAFT-10M	4	Steel shaft	Ø12,7 × 76 / M6
	16	Hex keys, assorted screws	

VA-type
34 pieces





夾緊套件 VA

Consisting of	Pieces	Description	Dimensions [mm]
TRFN-15	2	Plastic hold down clamp	84
LC-2.50-TP-M	2	Aluminium hold down clamp with shaft M6	63,5 / 76 / M6
TRFN-SHAFT-10M	4	Steel shaft	Ø12,7 × 76 / M6
STOF-050-M25	4	Stand-off	Ø12,7 × 25 / M6
STOF-050-M50	4		Ø12,7 × 50 / M6
STOF-050-M100	4		Ø12,7 × 100 / M6
VB-001-M	2	Magnetic V-block 90°	Ø62 × 25,4 / M6
RG-2.75-M	1	Adjustable horizontal clamp	70 × 76
SS-01-PC	2	Universal stop, polycarbonate	70 × 20
	9	Assorted screws	

VB-type
34 pieces



夾緊套件 VB



邁向智慧製造

機器手臂整合三次元量測

SPREITZER通過整合三次元量床定位快換托盤系統，為機器人應用提供了一個完美的平台。

您可以比以往更快地檢查和交付零件！



innovative performance

展示請電 誌成貿易:
(02)2657-8688

